

```

: Saved
:
: Serial Number: JMX1813Z0GJ
: Hardware:   ASA5505, 512 MB RAM, CPU Geode 500 MHz
: Written by enable_15 at 09:21:59.078 UTC Thu Dec 17 2015
!
ASA Version 9.2(2)4
!
hostname ciscoasa
enable password 8Ry2YjIyt7RRXU24 encrypted
names
!
interface Ethernet0/0
  switchport access vlan 2
!
interface Ethernet0/1
!
interface Ethernet0/2
!
interface Ethernet0/3
!
interface Ethernet0/4
!
interface Ethernet0/5
!
interface Ethernet0/6
!
interface Ethernet0/7
!
interface Vlan1
  nameif inside
  security-level 100
  ip address 192.168.1.1 255.255.255.0
!
interface Vlan2
  nameif outside
  security-level 0
  ip address dhcp setroute
!
ftp mode passive
object network obj_any
  subnet 0.0.0.0 0.0.0.0
object network Site-A-Subnet
  subnet 192.168.1.0 255.255.255.0
object network Site-B-Firewall
  host 192.168.138.146
object network Site-B-Subnet
  subnet 192.168.2.0 255.255.255.0
access-list outside_cryptomap_1 extended permit ip 192.168.1.0
255.255.255.0 192.168.2.0 255.255.255.0
pager lines 24
logging asdm informational
mtu outside 1500
mtu inside 1500
no failover
icmp unreachable rate-limit 1 burst-size 1
no asdm history enable

```

```

arp timeout 14400
no arp permit-nonconnected
nat (inside,outside) source static Site-A-Subnet Site-A-Subnet
destination static Site-B-Subnet Site-B-Subnet
!
object network obj_any
  nat (inside,outside) dynamic interface
timeout xlate 3:00:00
timeout pat-xlate 0:00:30
timeout conn 1:00:00 half-closed 0:10:00 udp 0:02:00 icmp
0:00:02
timeout sunrpc 0:10:00 h323 0:05:00 h225 1:00:00 mgcp 0:05:00
mgcp-pat 0:05:00
timeout sip 0:30:00 sip_media 0:02:00 sip-invite 0:03:00 sip-
disconnect 0:02:00
timeout sip-provisional-media 0:02:00 uauth 0:05:00 absolute
timeout tcp-proxy-reassembly 0:01:00
timeout floating-conn 0:00:00
dynamic-access-policy-record DfltAccessPolicy
user-identity default-domain LOCAL
http server enable
http 192.168.1.0 255.255.255.0 inside
no snmp-server location
no snmp-server contact
crypto ipsec ikev1 transform-set ESP-AES-128-SHA esp-aes esp-
sha-hmac
crypto ipsec ikev1 transform-set ESP-AES-128-MD5 esp-aes esp-
md5-hmac
crypto ipsec ikev1 transform-set ESP-AES-192-SHA esp-aes-192
esp-sha-hmac
crypto ipsec ikev1 transform-set ESP-AES-192-MD5 esp-aes-192
esp-md5-hmac
crypto ipsec ikev1 transform-set ESP-AES-256-SHA esp-aes-256
esp-sha-hmac
crypto ipsec ikev1 transform-set ESP-AES-256-MD5 esp-aes-256
esp-md5-hmac
crypto ipsec ikev1 transform-set ESP-AES-128-SHA-TRANS esp-aes
esp-sha-hmac
crypto ipsec ikev1 transform-set ESP-AES-128-SHA-TRANS mode
transport
crypto ipsec ikev1 transform-set ESP-AES-128-MD5-TRANS esp-aes
esp-md5-hmac
crypto ipsec ikev1 transform-set ESP-AES-128-MD5-TRANS mode
transport
crypto ipsec ikev1 transform-set ESP-AES-192-SHA-TRANS esp-
aes-192 esp-sha-hmac
crypto ipsec ikev1 transform-set ESP-AES-192-SHA-TRANS mode
transport
crypto ipsec ikev1 transform-set ESP-AES-192-MD5-TRANS esp-
aes-192 esp-md5-hmac
crypto ipsec ikev1 transform-set ESP-AES-192-MD5-TRANS mode
transport
crypto ipsec ikev1 transform-set ESP-AES-256-SHA-TRANS esp-
aes-256 esp-sha-hmac
crypto ipsec ikev1 transform-set ESP-AES-256-SHA-TRANS mode
transport
crypto ipsec ikev1 transform-set ESP-AES-256-MD5-TRANS esp-

```

```

aes-256 esp-md5-hmac
crypto ipsec ikev1 transform-set ESP-AES-256-MD5-TRANS mode
transport
crypto ipsec ikev1 transform-set ESP-3DES-SHA esp-3des esp-
sha-hmac
crypto ipsec ikev1 transform-set ESP-3DES-MD5 esp-3des esp-
md5-hmac
crypto ipsec ikev1 transform-set ESP-3DES-SHA-TRANS esp-3des
esp-sha-hmac
crypto ipsec ikev1 transform-set ESP-3DES-SHA-TRANS mode
transport
crypto ipsec ikev1 transform-set ESP-3DES-MD5-TRANS esp-3des
esp-md5-hmac
crypto ipsec ikev1 transform-set ESP-3DES-MD5-TRANS mode
transport
crypto ipsec ikev1 transform-set ESP-DES-SHA esp-des esp-sha-
hmac
crypto ipsec ikev1 transform-set ESP-DES-MD5 esp-des esp-md5-
hmac
crypto ipsec ikev1 transform-set ESP-DES-SHA-TRANS esp-des
esp-sha-hmac
crypto ipsec ikev1 transform-set ESP-DES-SHA-TRANS mode
transport
crypto ipsec ikev1 transform-set ESP-DES-MD5-TRANS esp-des
esp-md5-hmac
crypto ipsec ikev1 transform-set ESP-DES-MD5-TRANS mode
transport
crypto ipsec ikev2 ipsec-proposal DES
  protocol esp encryption des
  protocol esp integrity sha-1 md5
crypto ipsec ikev2 ipsec-proposal 3DES
  protocol esp encryption 3des
  protocol esp integrity sha-1 md5
crypto ipsec ikev2 ipsec-proposal AES
  protocol esp encryption aes
  protocol esp integrity sha-1 md5
crypto ipsec ikev2 ipsec-proposal AES192
  protocol esp encryption aes-192
  protocol esp integrity sha-1 md5
crypto ipsec ikev2 ipsec-proposal AES256
  protocol esp encryption aes-256
  protocol esp integrity sha-1 md5
crypto ipsec security-association pmtu-aging infinite
crypto map outside_map 1 match address outside_cryptomap_1
crypto map outside_map 1 set peer 192.168.138.146
crypto map outside_map 1 set ikev2 ipsec-proposal AES256
crypto map outside_map interface outside
crypto ca trustpool policy
crypto ikev2 policy 1
  encryption aes-256
  integrity sha512
  group 2
  prf sha512
  lifetime seconds 86400
crypto ikev2 policy 10
  encryption aes-192
  integrity sha

```

```
group 5 2
prf sha
lifetime seconds 86400
crypto ikev2 policy 20
encryption aes
integrity sha
group 5 2
prf sha
lifetime seconds 86400
crypto ikev2 policy 30
encryption 3des
integrity sha
group 5 2
prf sha
lifetime seconds 86400
crypto ikev2 policy 40
encryption des
integrity sha
group 5 2
prf sha
lifetime seconds 86400
crypto ikev2 enable outside
crypto ikev1 enable outside
crypto ikev1 policy 10
authentication crack
encryption aes-256
hash sha
group 2
lifetime 86400
crypto ikev1 policy 20
authentication rsa-sig
encryption aes-256
hash sha
group 2
lifetime 86400
crypto ikev1 policy 30
authentication pre-share
encryption aes-256
hash sha
group 2
lifetime 86400
crypto ikev1 policy 40
authentication crack
encryption aes-192
hash sha
group 2
lifetime 86400
crypto ikev1 policy 50
authentication rsa-sig
encryption aes-192
hash sha
group 2
lifetime 86400
crypto ikev1 policy 60
authentication pre-share
encryption aes-192
hash sha
```

```
group 2
lifetime 86400
crypto ikev1 policy 70
authentication crack
encryption aes
hash sha
group 2
lifetime 86400
crypto ikev1 policy 80
authentication rsa-sig
encryption aes
hash sha
group 2
lifetime 86400
crypto ikev1 policy 90
authentication pre-share
encryption aes
hash sha
group 2
lifetime 86400
crypto ikev1 policy 100
authentication crack
encryption 3des
hash sha
group 2
lifetime 86400
crypto ikev1 policy 110
authentication rsa-sig
encryption 3des
hash sha
group 2
lifetime 86400
crypto ikev1 policy 120
authentication pre-share
encryption 3des
hash sha
group 2
lifetime 86400
crypto ikev1 policy 130
authentication crack
encryption des
hash sha
group 2
lifetime 86400
crypto ikev1 policy 140
authentication rsa-sig
encryption des
hash sha
group 2
lifetime 86400
crypto ikev1 policy 150
authentication pre-share
encryption des
hash sha
group 2
lifetime 86400
crypto ikev1 policy 65535
```

```

authentication pre-share
encryption 3des
hash sha
group 2
lifetime 86400
telnet timeout 5
no ssh stricthostkeycheck
ssh timeout 5
ssh key-exchange group dh-group1-sha1
console timeout 0

dhcpd auto_config outside
!
dhcpd address 192.168.1.5-192.168.1.36 inside
dhcpd enable inside
!
threat-detection basic-threat
threat-detection statistics access-list
no threat-detection statistics tcp-intercept
group-policy GroupPolicy1 internal
group-policy GroupPolicy1 attributes
  vpn-tunnel-protocol ikev2
tunnel-group 192.168.138.146 type ipsec-l2l
tunnel-group 192.168.138.146 general-attributes
  default-group-policy GroupPolicy1
tunnel-group 192.168.138.146 ipsec-attributes
  ikev2 remote-authentication pre-shared-key Password1
  ikev2 local-authentication pre-shared-key Password1
!
class-map inspection_default
  match default-inspection-traffic
!
!
policy-map type inspect dns preset_dns_map
  parameters
    message-length maximum client auto
    message-length maximum 512
policy-map global_policy
  class inspection_default
    inspect dns preset_dns_map
    inspect ftp
    inspect h323 h225
    inspect h323 ras
    inspect rsh
    inspect rtsp
    inspect esmtp
    inspect sqlnet
    inspect skinny
    inspect sunrpc
    inspect xdmcp
    inspect sip
    inspect netbios
    inspect tftp
    inspect ip-options
    inspect icmp
!
service-policy global_policy global

```

```
prompt hostname context
no call-home reporting anonymous
Cryptochecksum:b0e1bdd21bebfba4fe78343e1071cfc7
: end
```